



EMERGENCY MEDICAL SERVICES

509-B Maple Drive Vidalia, Georgia 30474

Phone: 912-537-5823 Fax: 912-538-5362

May 8, 2026

Request for Bid Quotation

Dear Vendor,

Toombs – Montgomery Emergency Medical Services is seeking sealed bids for a new custom built Type I or Type III ambulance. All responses must be delivered to the Toombs County Board of Commissioners at P.O. Box 112, Lyons, GA 30436 or 100 Courthouse Square, Lyons, GA 30436 by 10:00 am on Tuesday, June 9, 2026. The bids will be opened at this time. The bids must be received in a sealed envelope. Detailed specifications and other documents are attached to this cover letter.

The Toombs County Board of Commissioners reserves the right to waive any requirement and/or specification, to reject any or all bids, waive technicalities, informalities, or any irregularities therein, and accept any bid that in its judgment best serves the County's interest and does not in any way obligate itself to award to the lowest bidder.

Drew James

EMS Director, NRP

Community Driven - Patient Focused - EMS Family

Toombs-Montgomery EMS

AMBULANCE SPECIFICATIONS

Type I Chevrolet CC36403, 3500HD Silverado 2 Wheel Drive Chassis-Cab

162" Wheelbase – 84" Cab-Axle – 13,200 lbs. GVWR

Duramax 6.6L Turbo V-8 Diesel Engine -

Allison 1000 6-Speed Automatic Transmission

Wide Track Rear Axle – 3.73 Rear Axle Ratio

Brakes – 4-wheel Anti-Lock, 4-wheel Disc

StabiliTrak Stability Control System

LT235/80R17E All-Season Radial Tires – Highway Tread

Spare Tire and Wheel – Full Size

Seats, Front 40/20/40 Split Bench. (Center Seat is Removed)

Audio System – Chevrolet MYLINK Radio with 8" Diagonal Touch-Screen, AM/FM Stereo

Ambulance/Fire/Rescue Package

Engine Block Heater (wired to Shoreline)

Dual Heavy-Duty 730 CCA / 70 Amp-Hour, Maintenance Free Batteries

Alternators – Dual 105 Amps and 220 Amps

Fuel Tank, 40 Gallon

Mirrors – Heated Power-Adjusted Vertical Trailing with Integrated Turn Signals

Power Windows

Power Door Locks with Remote Keyless Entry (chassis only)

Cruise Control / Tilt Steering Wheel

Type III Chevrolet G4500 Chassis with similar specifications as above and below. *Modify as needed to best fit chassis, model, and manufacturer guidelines. If vendor is unable obtain G4500, then can submit Type I 3500HD only.

Suspension: Liquid Spring Suspension System

Mud Flaps: Rubber, anti-sail type behind dual rear wheels.

Running Boards: Aluminum diamond treadplate, driver and passenger sides.

Wheels Inserts: Stainless steel wheel inserts, QVM approved.

PATIENT MODULE

***Dimensions and specs are served as recommendations and guideline based off of other units in fleet.**

Module: 149" x 96" All Aluminum
Headroom: 72" interior with crowned roof to inhibit the pooling of water.

| LOCATION | DIMENSIONS – H x W x D | SHELF/DIVIDER |
|-------------------------------|------------------------|------------------------|
| Street Side Front (S1) | 72" x 20" x 22" | (1) Divider |
| Street Side Intermediate (S2) | 40" x 30" x 20" | (1) Adjustable Shelf |
| Street Side Rear (S3) | 40" x 40" x 20" | (1) Adjustable Shelf |
| Curb Side Front (C1) ALS | 55" x 18" x 35" | (2) Adjustable Shelves |
| Curb Side Rear Forward (C2) | 20" x 24" x 16" | |
| Curb Side Rear (C3) | 72" x 16" x 20" | (1) Divider |

Bumper/Step: Rear with center flip-up non-skid expanded metal.

Grille Guard: Ranch hand grille guard

Compartments: Finished with gray Scorpion coating.

Door Handles: Paddle style. Eberhard "Easy Grabber"

Door Holders: Cast "Grabbers" (2) on rear door
Spring-style on side and compartment doors

Door Panels: Reflective chevrons on lower panels. Upholstery on upper panels.

Fenderettes: Bright finish.

Floor: Composite, non-wood.

Insulation: Polyfiber

Kick Panel: Aluminum diamond plate.

Skirt Rails: C-Channel with reflective red and safety yellow striping.

Spare Tire: Ship loose.

Stone Guards: All four corners, aluminum diamond plate.

Windows: Curb Side - sliding, dark tint
Rear - fixed, dark tint

ELECTRICAL

- Antenna Cables:** (1) routed from ceiling to behind passenger seat.
(1) routed from ceiling to behind Action Area.
- Batteries:** (2) OEM under the hood
- Back Up Alarm:** Sounds when vehicle is placed in reverse gear. Automatic re-set switch on front control panel.
- Circuit Board:** Printed circuit board with self-diagnostic LED indicators and auto-resetting pole style circuit breakers.
- Clock:** Intellitec digital clock with timer installed in Action Area.
- Console, Front:** Constructed of aluminum with gray Scorpion coat finish. Console houses front switch panel, volt meter, and siren. Includes dual cup holders and map/clipboard slots.
- Control Panels:** Front and rear control/switch panels with low-voltage, full size rocker switches with integral on indicator light. All switches labeled.
- Exhaust Vent** 12-volt power exhaust vent in patient compartment.
- Gauges:** OEM Voltmeter with low voltage alarm.
- Heat/Cool:** Hoseline Combo located at top of right front cabinet. Auxiliary condenser mounted underneath of body. Digital thermostat in Action Area.
- Inverter:** Install 1000W Dimensions inverter.
- Lighting, DOT Required:** Whelen 6L LED stop/tail - turn signals – back up lights with trim flanges. (7) LED ICC marker lights front (red) and rear (amber). LED license plate light.
- Lighting, Interior Dome:** (7) Whelen LED lights mounted in headliner, (4) over cot, (3) over squad bench.
- Back up Camera:** Zone Defense back up camera to be installed with 7" LED monitor.

Lighting, Non-Emergency:

| | |
|-----------------------------|---|
| Action Area: | (3) 2" round LED light to illuminate Action Area tray. |
| Stepwell: | (1) 2" round LED light to illuminate side entry step area when side door is opened. |
| Scene Lights: | (4) Whelen 9L, 24-diode LED, (2) each side. Rear light on each side illuminated when vehicle is placed in reverse gear. (2) Whelen 9L 24-diode LED, on rear. Lights illuminate when vehicle is placed in reverse gear. |
| Spot Light: | (1) Hand held, hard-wired in cab. |
| Shoreline Inlet: | 20-amp Auto-Eject. GFI protected circuit. |
| 110 Volt Outlets: | (2) outlets mounted in Action Area and (1) outlet in front ALS cabinet (1) outlet head of squad bench. Wired to shoreline and inverter (if ordered). |
| 12 Volt Outlets: | Cigar lighter style. (1) Action Area and (1) RF ALS cabinet. |
| AUDIO-VISUAL WARNING | |
| Grille Lights: | (4) Whelen ION Super-LED warning lights with chrome trim flange. Red LED with clear lens. |
| Intersection Lights: | (2) Whelen 7L Super-LED warning lights with chrome trim flange. Red LED with clear lens. (2) Whelen 7L Super-LED warning lights with chrome trim flange. Red LED with clear lens mounted over rear wheel well. |
| Curbside door: | (2) Whelen OS Super-LED lights to be mounted top and bottom of curbside entry door. |
| Rear entry doors: | (4) Whelen OS Super-LED lights to be mounted top and bottom of rear entry doors. |
| Wig-wag head lights: | Chevrolet OEM headlights to be wired for wig-wag option. |
| Front, Light Wall: | (7) Whelen M9 Super-LED warning lights with chrome trim flanges mounted on the front of the modular. (6) Red LED with clear lens. (1) Clear LED with clear lens |

- Side Lights:** (2) each side Whelen M9 Super-LED warning lights with chrome trim flange. Red LED with clear lens.
- Rear Lights (Upper):** (2) Whelen M9 Super-LED warning lights with chrome trim flanges. Red LED with clear lens. Mounted rear upper outer corners. (1) Whelen 9L Super-LED warning light with chrome trim flange mounted over rear doors. Amber LED with clear lens.
- Rear Lights (Lower):** (2) Whelen Super-LED warning lights with chrome trim flanges. Mounted mid-height to show through rear door windows. Red LED with clear lens.
- Siren:** Whelen WS-295HFS located in front switch console. Hands free operation and LED speaker test indicators.
- Siren Speakers:** Dual CPI 100 Watt Speakers mounted in front bumper.
Howler to be mounted in front bumper.

TOUMBS-MUNTCOMERY

OXYGEN, VACUUM & MISCELLANEOUS EQUIPMENT

- Oxygen Bracket:** Zico Multiversal Bracket with straps.
- Oxygen Outlets:** (2) Ohio style fitting in action area. (1) at head of squad bench.
- Oxygen Wrench:** Cylinder changing wrench tethered in Oxygen Compartment.
- Suction System:** Rico RS-4X System connected to 12 volt Gast suction pump. Vacuum outlet in Action Area.

CABINETS & HARDWARE

- Cabinets:** .75" plywood cabinets with high pressure laminate finish.
- Layout:** ALS front cabinet with inside/outside access through curb side front compartment. Refer to drawings for exact layout and dimensions.
- Action Area:** Solid surface action area to be extended through cpr seat. Stainless Steele IV pole to be mounted in action area.

- Assist Handles:** (1) "V" shaped handicap style on each entry door. Coated Safety Yellow. (1) Grab bar at entry point to side access

- Attendant Seat:** High back captain's chair with integral child safety seat.

- Biohazard-Sharps:** Biohazard and sharps container at head of squad bench.

- Bulkhead:** Pass-through design with communication window.

- Cot Fastener:** Stryker Power Load with Charging Unit

- Floor Covering:** LonPlate II, covered up sidewalls 3".

- Grab Rail:** (2) 72" overhead, 1" diameter handicap style rounded ends. Powder coated Safety Yellow.

- Headliner:** Two-piece fiberglass.

- I.V. Holders:** (2) Recessed with rubber stabilizer arm.

- Plexiglas:** All Sliding Plexiglas is 3/16" thick, clear. All sliding doors have full height extruded aluminum pull handles.

- Seat Belts:** 6-point safety harness installed at seating positions 1 and 2 on squad bench. 6-point safety harness installed on CPR seat. In addition, (3) restraint belts on squad bench to secure stair chair or spineboard.

- Squad Bench:** Single lid with one piece seamless cushion and seamless backrest.

PAINT, DECALS, LETTERING

Chevrons: Reflective red/yellow chevrons installed on lower patient entry door panels in inverse "V" design.

Rear Chevrons: Red and yellow chevrons to cover entire rear.

Decals: Star of Life Package, (shipped loose) includes:
(2) 4" Star of Life decals for front hood area
(2) 12" Star of Life decals for rear of body.
(2) 16" Star of Life decals for side of body
(1) Ambulance (in reverse) decal for front hood
(3) Ambulance decals for sides and rear of body.
(1) 36" Star of Life for modular body roof. Installed.

Paint: Paint to match current fleet. Attachments included.

Signs: (2) "No Smoking - Oxygen Equipped"
(2) "Use of Seat Belt Required"

OTHER:

(2) Number Plates: Locations: Front and Driver side of box. White Plate with Red "5" on each, approximate six 8in by 8in

Arm rest (2) added to cab seats

Price Options

Drug Box Cabinet with Digital and Key Locking System (Per vendor recommendation)

Sample A



Sample B



Circle marks the area we'd look at placing the drug box cabinet (price option)

Sample C



SAMPLE A

